INDEX OF SUBJECTS

PAGE

ABNORMALITIES, CONGENITAL, absence of trachea, types and embryological origins, 4 new cases, 2 total, 2 partial; association with other congenital abnormalities 63
ACINAR-CELL TUMOURS of salivary glands, no elastic tissue in 149
ADENOLYMPHOMA of salivary glands, no elastic tissue in 149
ADOPTIVE SENSITIVITY to A-strain skin grafts readily conferred on CBA mice by transfer of lymphoid cells from blood or lymph-nodes and spleen of sensitised CBA mice, effect maximal 14 days after sensitisation of donors; then falls until lymphoid cells from blood no longer sensitise at 56 days, but do so if recipients grafted 3 days after cell transfer; transfer of sensitivity at this time and up to 10 days after lower with whole blood if transfer of sensitivity high with lymph-node cells, and vice-versa. 225
ADRENAL(S), bilateral adrenocortical hyperplasia in children with Cushing's syndrome 95
cortical cells, shrinkage necrosis of induced by 9,10-dimethyl-1,2-benzanthracene 217
ALLOGRAFTS of skin in mice, nature of infiltrating cells 235
ALOPECIA produced by injection of dehydroheliotridine in young rats. . 175
AMNIOTIC FLUID, effect of exclusion of on intra-uterine healing of wounds in rabbit foetuses 127
AMYLOIDOSIS, severe or mild, widespread or localised, in about 2 per cent. of cases of renal carcinoma . . . 45
ANASTOMOSES between bronchial and pulmonary arteries, pulmobronchial and bronchopulmonary arteries, and bronchial and pulmonary veins increased in infants with gross obstruction to pulmonary venous outflow . . 21
venous, between portal and peri-oesophageal veins, and between peri-oesophageal and mediastinal veins, some of which communicate with alveolar capillaries and some with extrapulmonary veins, in rats with induced fine cirrhosis of liver . . . 167
ANTHOPHYLLITE asbestos, reactions to in guinea-pigs and rats . . . 245

PAGE

ANTI-MITOTIC ACTIVITY of dehydroheliotridine in young (14-day-old) rat . 175
ARGENTAFFIN CARCINOMA arising in sacrococcygeal teratoma 49
ARGYRIA, experimental in rats, for investigating turnover in basement-membranes 119
in man, turnover of basement-membranes in 123
ARTERIALISATION of pulmonary and bronchial veins when pulmonary venous outflow greatly reduced . . . 21
ARTERIES, bronchial and pulmonary, bronchopulmonary and pulmobronchial, anastomoses between in infants with gross obstruction to pulmonary venous outflow 21
pulmonary, medial hypertrophy when pulmonary venous pressure increased 21
ASBESTOS bodies readily produced in guinea-pigs inhaling anthophyllite, less so in similarly exposed rats; process of formation similar in both; giant cells occasional in guinea-pig, rare in rat, so clearance faster in rat; if many asbestos fibres in cell, ferruginous material deposited on one only . . 245
ATROPHY and aplastic changes in hair follicles, mucosa of gastro-intestinal tract, thymus, spleen, bone marrow and testis of young rats given dehydroheliotridine 175

BACTERIAL SPECIES, *Listeria monocytogenes*, intramedullary spinal abscess due to, in patient with micronodular cirrhosis and hepatic failure 9
BASAL-CELL CARCINOMA, shrinkage necrosis and formation of Councilman bodies possible cause of slow growth in when mitoses numerous 41
BASEMENT-MEMBRANE turnover in argyric patients similar to that in argyric rats 123
turnover in rat; some membranes relatively labile, with turnover in weeks, some relatively stable, with turnover in months, others relatively permanent, with turnover in years . . . 119
BONE, histological changes in after haemodialysis for chronic renal failure: bone loss, increase in resorptive activity, formation of osteoid . . . 137

PAGE

BONE exposed in osteo-arthritis of femoral head, interspersed with plugs of non-osseous tissue, sometimes with adjacent cartilage still exposed to synovial cavity, with degenerative lesions; articular surface may be covered with new tissue, sometimes with submerged cartilage, new tissue undergoing destruction . . . 199

CALCIFICATION of bone, irregular, with heaping up of osteoid, in patients treated by haemodialysis for chronic renal failure 137
of renal papilla, ultrastructure . . 211
CALCIOLYSIS in bones of patients with chronic renal failure treated by haemodialysis; no evidence of hyperactivity of parathyroids 137
CARBON clearance from blood of rabbits, variation in rate and characteristics with variation in environment . . 73
CARCINOMA, adenoid cystic, of salivary glands, significant amounts of elastic tissue in 30 per cent. of . . . 149
CAROTID BODY in high-altitude guinea-pigs, ultrastructure 131
CARTILAGE, old, exposed rarely in central area of exposed bone in osteo-arthritis of femoral head; destructive lesions in cartilage peripheral to exposed bone; beyond this, articular surface may be covered with new tissue, itself undergoing destruction 199
CATECHOLAMINES, changes in secretory granules of carotid body in high-altitude guinea-pigs probably not due to alterations of secretion, but to disturbance of chemoreception . . 131
CELLS, adrenal cortical, shrinkage necrosis of induced by 9,10-dimethyl-1,2-benzanthracene 217
chief, of carotid body, changes in secretory granules of in high-altitude guinea-pigs: widening of halo around central core, with later vacuolation and loss of core 131
in infiltrate in skin allografts in mice . 235
lymphoid, from whole blood and pooled peripheral lymph-nodes and spleen of CBA mice presensitised to A-strain antigens, comparison of capacity to transfer homograft sensitivity adoptively at various times after sensitisation 225
myo-epithelial, possible source of elastic tissue in some salivary gland tumours 149
surface lining, of healing thrombi in rat femoral veins, possibly derived from circulating mononuclear cells. . . 1
type-IV (goblet cells) of normal pancreas, histochemical resemblance of neoplastic mucin-secreting cells of pancreas to 87
CHLOROFORM poisoning in pony fed with ragwort does not affect ragwort lesions, but healing of chloroform lesions delayed 253
CHONDROSARCOMA of skull, with subarachnoid dissemination in 22-yr-old man 59
COLD injury to rat femoral veins plus local transient stasis leads to severe endothelial stasis and multiple mural thrombi 1
COUNCILMAN BODIES in basal-cell carcinoma taken up by intact neoplastic cells 41
in shrinkage necrosis of adrenal cortical cells induced by 9,10-dimethyl-1,2-benzanthracene 217
CUSHING'S SYNDROME in children, bilateral adrenal hyperplasia in 95
CYSTS, renal cortical, not specially associated with neurospinal dysraphism . 13

DEHYDROHELIOTRIDINE, metabolic product of heliotridine-based pyrrolizidine alkaloids, pathological effects of on young rat 175
DEMYELINATION in rat medulla and cervical cord after poisoning with snake venom corresponds to areas of localisation of venom by fluorescent antibody tests . 303
DIAPHRAGM of rats poisoned with snake venom, faint fluorescence in fluorescent antibody tests 303
9,10-DIMETHYL-1,2-BENZANTHRACENE induced shrinkage necrosis of cortical adrenal cells in rats 217
DIMETHYLSULPHOXIDE as solvent reduces mortality rate induced by dehydroheliotridine in young rats . . 175
DYSPLASIA, renal, association with, possible result of, neurospinal dysraphism . 13
DYSRAPHISM, neurospinal, possibly causes neurogenic vesical disease and reflux in foetal life, with consequent renal dysplasia 13

ELASTIC TISSUE in tumours of salivary glands possibly product of myo-epithelial cells 149
ELECTRON-MICROSCOPE STUDY of calcification of the renal papilla 211
of cells lining surface of healing thrombi in injured rat femoral veins . . 1
of human and experimental alveolar lipoproteinosis 107
of interstitial-cell tumour secreting large amount of acid mucopolysaccharide ground-substance 223

PAGE

ELECTRON-MICROSCOPE STUDY of malakoplakia of prostate and perirenal fat . 289
of permeability of blood vessels in a rat sarcoma. 157
ENVIRONMENT, effect of, and of change of, on rate of carbon clearance from rabbit blood 73
EVANS' BLUE, use to quantitate leakage of albumin through capillaries of normal tissues and through those of a transplantable rat sarcoma 157

FAT, perirenal, malakoplakia of, ultrastructure 289
FEMUR, head in osteo-arthritis. . . . 199
FLUORESCENT ANTIBODY TESTS for localisation of snake venoms in rats . . 303
FOETUSES, rabbit, effect of exclusion of amniotic fluid on intra-uterine healing of wounds in 127
FOWL, cystic dilatation of seminiferous tubules of due to sodium intoxication 191

GIANT-CELL TUMOURS of soft tissue resembling giant-cell tumours of bone, some solid, some predominantly cystic . 27
GLOVE POWDER, starch, granulomatous response in peritoneum to . . 265
GLYCOSAMINOGLYCANS, loss from cartilage matrix may increase mechanical attrition of cartilage by abrasive action between joint surfaces in osteoarthritis of femoral head 199
GRANULES, secretory, of chief cells of carotid body, changes in high-altitude guinea-pigs 131
GRANULOMAS, intraperitoneal, due to starch powder, may be confused with carcinomatosis peritonei or miliary tuberculosis; distinctions between " intrinsic " granules and freshly implanted starch 265
GROWTH, arrest of in young rats given dehydroheliotridine 175
GUINEA-PIGS at high altitudes, ultrastructure of carotid body 131
inhaling anthophyllite often develop asbestos bodies, with occasional giant cells; formation typical, but ferruginous material deposited on only one fibre in cell, if more than one are present 245

HAEMODIALYSIS for chronic renal failure, bone changes after 137
HALOTHANE poisoning in pony fed with ragwort does not affect ragwort lesions, and halothane lesions are apparently unaffected by ragwort feeding. . . 253
HAMARTOMA, possible nature of plexiform neurofibroma of vagus in newborn boy 55

PAGE

HEART, changes in fowls given high-sodium diet—cardiac dilatation and hydropericardium 191
involvement in lymphoid leucosis in an Indian python 295
HIP-JOINT, changes in bone and cartilage in osteo-arthritis of femoral head . . 199
HISTAMINE increases capillary permeability of rat sarcoma vessels so that saccharated iron oxide or colloidal carbon leaks through endothelial gaps . . 157
HOMOGRAFT sensitivity of mouse, cell transfer studies on persistence of . 225
HYPEROSTOSIS of skull in neighbourhood of pigmented tumour, resembling pigmented epulis, in a 5-mth-old girl . 69
HYPERPLASIA of adrenal in children with Cushing's syndrome: nodular hyperplasia in infancy, simple hyperplasia between 9 and 15 yr. 95
HYPOXIA probable cause of ultrastructural changes in secretory granules in carotid body of high-altitude guinea-pigs . 131
systemic arterial, in cirrhosis of liver, possibly due to porta-pulmonary venous anastomoses, as in rats with induced fine cirrhosis of liver . . 167

INFANTS AND CHILDREN, melanotic tumour of skull, resembling pigmented epulis, in 5-mth-old girl 69
plexiform neurofibroma of vagus in a newborn boy possibly hamartoma . 55
pulmonary effects of gross obstruction to pulmonary venous outflow . . 21
with Cushing's syndrome (16 cases, 12 of bilateral simple or nodular hyperplasia, 2 of adenoma, 2 of carcinoma of adrenal, very unlike proportions in reported cases) 95
INFILTRATE, cellular, in skin allografts in mice consists of lymphocytes, macrophages, immunoblasts, plasmablasts and plasma cells, and some cells intermediate between lymphocytes and monocytes, probably promonocytes; polymorphs, like mononuclears but not eosinophils, enter allografts early as result of immune response of recipient; both types of granulocytes more numerous in degenerating grafts . . 235
INHALATION of leguminous particles after vomiting or difficulty in swallowing in debilitated persons, difficulties in post-mortem diagnosis, association, perhaps causal, with candida infections . . 221

KIDNEY(S), bone changes in cases of chronic renal failure treated by haemodialysis 137

PAGE

KIDNEY(S), calcification of renal papilla, calcium deposits in papilla and medulla (rarely in cortex), mainly in connective-tissue bundles around loops of Henle; sometimes in blood vessels and collecting ducts; deposits rarely intracellular, and then only in connective-tissue cells 211
carcinoma of, occasional association with amyloidosis 45
cortical cysts of not specially associated with neurospinal dysraphism . . 13
dysplasia in neurospinal dysraphism possibly due to neurogenic vesical disease and reflux in foetal life . . 13
involvement in lymphoid leucosis in an Indian python 295
pyelonephritis in cases of neurospinal dysraphism not superimposed on renal dysplasia 13
of rats poisoned with *Bothrops adamanteus* snake venom, localisation of venom in renal tubules and blood vessel walls by fluorescent antibody methods 303
renal glomerular lesions in fowls given high-sodium diet 191
of vervet monkeys in chronic retrorsine poisoning, metaplasia of parietal cells of Bowman's capsule, with diffuse megalocytosis of renal tubular epithelium and obstruction of nephron . 279
of young rats surviving acutely toxic doses of heliotridine, mild megalocytosis in tubular epithelium 175

LEGUMINOUS PARTICLES, inhalation of, four cases without granuloma formation, two with associated *Candida*-like mycelium 221
LEUCOSIS, lymphoid, in Indian python . 295
LIPO-PROTEINOSIS, alveolar, experimental and human, ultrastructure . . 107
LIVER, changes in chronic retrorsine poisoning in vervet monkeys mainly mitotic inhibition and local degeneration of hepatocytes, with megalocytosis and regeneration in some cases; bile-duct and bile-duct-epithelial hyperplasia with megalocytosis and ductule formation in midzonal and centrilobular areas; no diffuse necrosis. . . 279
changes in ponies fed with ragwort in horse nuts and simultaneously treated with chloroform or halothane . . 253
cirrhosis induced in rats followed by development of porta-pulmonary venous anastomoses 167
involvement in lymphoid leucosis in Indian python 295

PAGE

LIVER, non-parasitic cysts with squamous metaplasia of epithelium, squamous-cell carcinoma in 145
of young rats surviving acutely toxic doses of heliotridine, mild megalocytosis in parenchyma 175
LUNGS, alveolar lipo-proteinosis in; macrophages feature of alveolar reaction, but bulk of alveolar material acellular, with large phospholipid content, consisting of osmiophilic inclusion bodies and patterned lamellae 107
of guinea-pigs inhaling anthophyllite develop asbestos bodies in fair numbers, with occasional giant cells; lungs of rats seldom show asbestos bodies or giant cells and so are cleared relatively rapidly 245
of rabbits given several injections of dispersed emulsion of chicken serum and Freund's complete adjuvant plus Tween 80 intravenously developed immune pulmonary consolidation with lymphocytes, macrophages, plasma cells and giant cells 299
LYMPHATICS, pulmonary, dilatation of when pulmonary venous outflow greatly reduced 21

MACROPHAGES, alveolar feature of lung reaction in alveolar lipo-proteinosis in man and experimental animals, bulk of alveolar material acellular, with large phospholipid content, consisting of osmiophilic inclusions and lamellae . 107
MALAKOPLAKIA of prostate and of perirenal fat, ultrastructure shows large cells packed with membrane-bounded vacuoles, probably lysosomal residual bodies containing remains of phagocytosed necrotic human cells, not micro-organisms; vacuoles aggregate and fuse to form Michaelis-Gutmann bodies; doubtful whether malakoplakia distinct disease entity . . 289
MEGALOCYTOSIS of hepatic parenchyma and renal tubular epithelium mild in young rats surviving acutely toxic doses of heliotridine 175
METAPLASIA, squamous, in epithelium of solitary non-parasitic cyst of liver, with development of squamous-cell carcinoma 145
METASTASES, none observed from giant-cell tumours of soft tissues, though recurrence has occurred after local excision 27
MICE, nature of cellular infiltrate in skin allografts in 235
MONKEYS, vervet (*Cercopithecus aethiops*), chronic toxicity of retrorsine to . 279
MUCINS of normal and neoplastic pancreas 87

PAGE

MUCO-EPIDERMOID TUMOURS of salivary glands, no elastic tissue in . . 149
MUCOPOLYSACCHARIDE, acid, secreted in large amounts by interstitial-cell tumour of testis 223
MUCUS-secreting cells, four types in pancreatic biopsies; in smaller ducts secretion predominantly sulphated glycoprotein; as ducts increase in size less sulphated mucin present, more neutral glycoprotein- and sialomucin-producing cells 87
MYO-EPITHELIAL CELLS of salivary gland tumours, possible source of elastic tissue in some tumours of . . 149

NECROSIS, shrinkage, of adrenal cortical cells in rats treated with 9,10-dimethyl-1,2-benzanthracene 217
NERVE, phrenic, slight localisation of snake venoms in, in rats poisoned with snake venoms, by fluorescent antibody methods 303
NEUROFIBROMA, plexiform, of vagus, with cardiac, pulmonary and visceral involvement 55

OESOPHAGUS, local lesions in lymphoid leucosis in Indian python . . . 295
OSTEO-ARTHRITIS of femoral head, articular cartilage lesions in 199
OSTEOCLAST-type cells in giant-cell tumours of soft tissues 27
OSTEOPOROSIS after haemodialysis for chronic renal failure probably a disuse osteoporosis from prolonged immobilisation 137

PANCREAS, normal and neoplastic, histochemical study of mucins in . . 87
PARAPLEGIA due to intramedullary spinal abscess infected with *Listeria monocytogenes* 9
PERMEABILITY of vessels in rat sarcoma greater to albumin than normal vessels; injection of histamine or serotonin into tumour followed by leakage of saccharated iron oxide or colloidal carbon through endothelial gaps in capillaries 157
PHAGOCYTIC INDEX, 5 min. after intravenous injection of carbon into rabbits much greater than later 73
PNEUMOCYTES, granular, important role in alveolar lipo-proteinosis; major factor in disease probably rapid secretion of phospholipids exceeding capacity for removal from alveoli 107
PONIES fed on ragwort develop early ragwort lesion, apparently unaffected by superimposed chloroform or halothane administration, but healing of chloroform lesions delayed, halothane lesions unaltered 253
PROCEEDINGS OF THE SOCIETY . . . Pi
PROSTATE, malakoplakia, ultrastructure . 289
PYELONEPHRITIS in 12 per cent. of cases of neurospinal dysraphism, not superimposed on renal dysplasia . . 13
PYRROLIZIDINE ALKALOIDS, heliotridine-based, dehydroheliotridine metabolic product of, pathological effects on young rats 175
PYTHON, Indian (*Python molurus*), lymphoid leucosis in 295

QUARTZ inhalation in rats leads to alveolar lipo-proteinosis resembling disease in man 107

RABBIT(S), blood, rate of carbon clearance from varies with season, experience of air travel, change of accommodation, ambient temperature and intercurrent infections; phagocytic index higher 5 min. after carbon injection than later 73
foetuses, effect of exclusion of amniotic fluids on intra-uterine healing of wounds in 127
immune pulmonary consolidation in lungs after several intravenous injections of dispersed emulsion of normal chicken serum in Freund's complete adjuvant plus Tween 80 . . . 299
RAGWORT (*Senecio jacobaea*), given for 20 wk to ponies in dried horse nuts, produces early ragwort lesion in liver; superimposed dosage with chloroform or halothane does not affect ragwort lesion, but healing of chloroform lesions is delayed; those due to halothane are unaffected . . . 253
RAT(S), cirrhotic from exposure to phenobarbitone in drinking water and CCl_4 by inhalation, develop anastomoses between portal and peri-oesophageal veins through coronary and short gastric veins and between peri-oesophageal veins and mediastinal veins, some of which drain into alveolar capillaries, some into pulmonary veins . . 167
experimental alveolar lipo-proteinosis produced in by exposure to quartz particles by inhalation . . . 107
experimental argyric, turnover of basement-membranes in 119
femoral veins exposed to local cold injury and transient stasis develop endothelial necrosis and numerous mural thrombi; nature of surface cells covering thrombi 1

PAGE

RAT(S) inhaling anthophyllite do not readily form asbestos bodies or giant cells, so clearance of fibres from lung comparatively rapid 245
localisation of snake venoms in by fluorescent antibody methods 303
thrombosis of femoral veins produced in by transient stasis and severe cold injury 1
transplantable sarcoma Rd/3, permeability of capillaries to albumin greater than that of capillaries in normal tissues, increased by injection of histamine or serotonin to allow saccharated iron oxide or colloidal carbon to leak through endothelial gaps . . 157
treated with 9,10-dimethyl-1,2-benzanthracene develop shrinkage necrosis of adrenal cortical cells 217
young, pathological effects of dehydroheliotridine in 175
RECIRCULATION and redistribution of lymphoid cells between blood and major lymphoid organs, periodicity about 3 days, suggested to account for capacity of lymphoid cells to adoptively transfer homograft sensitivity 225
RETRORSINE, a pyrrolizidine alkaloid, chronic toxicity of to vervet monkeys . 279

SALIVARY GLANDS, moderate or large amounts of elastic tissue in majority of mixed tumours, less in 30 per cent. of adenoid cystic carcinomas, none in others, possibly product of myoepithelial cells 149
submaxillary and sublingual, necrosis of intralobular ducts specific change in young rats poisoned with dehydroheliotridine 175
SEMINIFEROUS TUBULES, dilatation in fowls given high-sodium diet 191
SEROTONIN increases capillary permeability of rat sarcoma vessels so that saccharated iron oxide or colloidal carbon leaks through endothelial gaps . . 157
SHUNTS, vascular, in lungs of children with gross obstruction to venous pulmonary outflow 21
SKIN allografts in mice, nature of cellular infiltrate in 235
SKULL of infant, melanotic tumour, histogenesis uncertain 69
petrous temporal bone, chondrosarcoma with subarachnoid dissemination in 22-yr-old man. 59
SNAKES, Indian python (*Python molurus*), lymphoid leucosis in, with infiltration of heart, liver and spleen, kidney and trachea 295

PAGE

SNAKES, South American fer-de-lance (*Bothrops atrox*) and Eastern diamondback rattlesnake (*Crotalus adamanteus*), use of fluorescent antibody methods to determine localisation of venoms in poisoned rats 303
SNAKE-VENOM localisation in tissues of rats by fluorescent antibody methods; " haemolytic " snake venoms may also have " neurotoxic " properties, as, like venoms normally regarded as neurotoxic, they may localise in nervous tissue 303
SODIUM, high level in diet of fowls leads to cystic dilatation of seminiferous tubules 191
SPINAL CORD abscess due to *Listeria monocytogenes* 9
STARCH granulomas, intraperitoneal, histopathology pleomorphic, little relation between age of lesions and histology, often tuberculoid in character . . 265
STASIS, transient, of rat femoral vein plus local cold injury leads to severe endothelial necrosis and multiple mural thrombi; nature of surface cells covering thrombi 1
STOMACH involvement in lymphoid leucosis in Indian python 295
SYNOVITIS, pigmented villonodular, differentiation of giant-cell tumours of soft tissues from 27

TEETH, incisor, structural defects in in rats given dehydroheliotridine . . 175
TERATOMA, sacrococcygeal, argentaffin carcinoma arising in 49
TESTIS(ES) of fowl given high-sodium diet, cystic dilatation of seminiferous tubules in 191
interstitial-cell tumour of, secreting large amounts of acid mucopolysaccharide. 223
of vervet monkeys in chronic retrorsine poisoning, atrophy of germinal epithelium 279
THROMBI, healing, in rat femoral veins, surface lining cells of 1
TRACHEA, congenital absence of, 4 cases, 2 total, 2 partial, with embryological explanation of types 63
involvement in lymphoid leucosis in Indian python 295
TUMOURS, ANIMAL, lymphoid leucosis with involvement of heart, liver, spleen, kidney and trachea in an Indian python 295
transplantable rat sarcoma Rd/3, vessels more permeable to albumin than those in normal tissues 157
TUMOURS, HUMAN, argentaffin carcinoma arising in a sacrococcygeal teratoma . 49

PAGE

TUMOURS, HUMAN, basal-cell carcinoma, slow growth in when mitoses numerous possibly due to shrinkage necrosis and formation of Councilman bodies . 41
carcinoma of adrenal, only 2 in 16 cases of children with Cushing's disease; cases tend to occur between 1 and 8 yr 95
carcinoma of kidney, amyloidosis as occasional complication . . . 45
chondrosarcoma of skull with subarachnoid dissemination in 22-yr-old man . 59
elastic tissue present in moderate or large amounts in majority of benign mixed tumours and in the few malignant tumours of salivary gland studied, rather less in 30 per cent. of adenoid cystic carcinomas, none in adenolymphomas, muco-epidermoid and acinar-cell tumours 149
giant-cell tumours of soft tissues resembling giant-cell tumours of bone . 27
interstitial-cell tumour of testis secreting large amounts of acid mucopolysaccharide ground-substance, ultrastructure 223
mixed tumours of salivary glands, unusual amounts of elastic tissue in, possibly produced by myo-epithelial cells . 149
neoplastic mucin-producing cells in carcinoma of pancreas histochemically resemble type-IV (goblet) cells of normal pancreas 87
pigmented tumour of skull, resembling pigmented epulis, in 5-mth-old girl . 69
sacrococcygeal teratoma, argentaffin carcinoma arising in 49
squamous-cell carcinoma in solitary non-parasitic cyst of liver with squamous metaplasia of epithelium . . . 145
TWEEN 80, use as dispersing material in antigens emulsified in Freund's complete adjuvant. 299

PAGE

VEIN(S), bronchial and pulmonary, anastomoses between in infants with gross obstruction to pulmonary venous outflow 21
central, of liver of vervet monkeys in chronic retrorsine poisoning, show decrease of lumen size, endothelial and subendothelial oedema in sublobular and hepatic veins, with marked proliferation and increase in subendothelial reticulin fibres; recanalisation of obstructed veins; severe iron retention . 279
portal, anastomoses between and peri-oesophageal venous plexus in rats with induced cirrhosis of liver . . . 167
pulmonary, effect of obstructed outflow from in development of alternative pathways in lung 21
rat femoral, multiple mural thrombi in when exposed to transient stasis and local cold injury; nature of surface cells covering thrombi . . . 1
VENOUS PLEXUS, peri-oesophageal, anastomoses between and portal vein, and also with mediastinal veins in rats with induced fine cirrhosis of liver . . 167

WOUND healing, intra-uterine in rabbit foetuses, no epithelialisation or wound contraction if exposed to amniotic fluid; if amniotic fluid excluded by Silastic synthetic graft, epithelialisation is speedy and mesenchymal proliferation and wound contraction occur, but no scab or significant inflammatory response . . . 127

XANTHOMATOUS LESIONS, various, differentiation of giant-cell tumours of soft tissues from 27

INDEX OF AUTHORS

PAGE

AITKEN, I. D., immune pulmonary consolidation in rabbits . . . 299
APARICIO, S. R., COWEN, P. N., and CROFT, C. B., argentaffin carcinoma arising in a sacrococcygeal teratoma . . 49
AZZOPARDI, J. G., and ZAYID, I., elastic tissue in tumours of salivary glands . 149

BECKER, A. E., WAGENVOORT, C. A., and WAGENVOORT, N., the effect of obstructed pulmonary venous blood flow on the development of alternative pathways in the lung . . . 21
BEST, P. V., pigmented tumour arising in the skull of an infant . . . 69
BISHOP, M. C., WOODS, C. G., and NICHOLSON, G. D., bone histological changes occurring after haemodialysis treatment for chronic renal failure . . 137
BOTHAM, SUSAN K., and HOLT, P. F., asbestos-body formation in the lungs of rats and guinea-pigs after inhalation of anthophyllite 245
BURNS, J., and ROBERTS, P. F., a histochemical study of mucins in normal and neoplastic human pancreatic tissue 87

CARR, I., the ultrastructure of an interstitial-cell neoplasm of testis that produced large amounts of ground-substance . 223
CARR, I., and UNDERWOOD, J. C. E., the ultrastructure and permeability characteristics of the blood vessels of a transplantable rat sarcoma . . . 157
CLARKE, S. W., KENDALL, M. J., and SMITH, W. T., spinal abscess due to *Listeria monocytogenes* in a patient with hepatic cirrhosis . . . 9
COOKE, S. A. R., WELLER, R. O., and NESTER, B., calcification in the human renal papilla: an electron-microscope study 211
COWEN, P. N., APARICIO, S. R., and CROFT, C. B., argentaffin carcinoma arising in a sacrococcygeal teratoma . . 49
CROFT, C. B., APARICIO, S. R., and COWEN, P. N., argentaffin carcinoma arising in a sacrococcygeal teratoma . . 49

DAVIES, J. D., and NEELY, J., the histopathology of peritoneal starch granulomas 265
DEWAR, W. A., SILLER, W. G., and WHITEHEAD, C. C., cystic dilatation of the seminiferous tubules in the fowl: a sequel of sodium intoxication . 191
DONALD, K. J., elevated rates and altered characteristics of the clearance of carbon from the blood of rabbits with variations in environmental conditions 73
DUHIG, R. E. T., KERR, J. F. R., GAFFNEY, T. J., MCGEARY, HEATHER M., and NICOLAIDES, N. J., malakoplakia: an electron-microscope and chemical study 289

EDWARDS, C., HEATH, D., and HARRIS, P., ultrastructure of the carotid body in high-altitude guinea-pigs . . . 131
EMERY, J. L., and RÁLIŠ, Z., congenital plexiform neurofibroma of the vagus with cardiac, pulmonary and visceral involvement 55

FINNIE, E. P., lymphoid leucosis in an Indian python (*Python molurus*) . . . 295
FORBES, MEHROO, renal dysplasia in infants with neurospinal dysraphism . . 13
FORD, E. J. H., GOPINATH, C., and JONES, R. S., the effects of chloroform or halothane on horse liver in the early stage of ragwort poisoning . . 253

GAFFNEY, T. J., KERR, J. F. R., MCGEARY, HEATHER M., DUHIG, R. E. T., and NICOLAIDES, N. J., malakoplakia: an electron-microscope and chemical study 289
GOPINATH, C., FORD, E. J. H., and JONES, R. S., the effects of chloroform or halothane on horse liver in the early stage of ragwort poisoning . . 253
GOWLAND, G., and WARREN, JUDITH, cell transfer studies on the persistence of homograft sensitivity in the mouse: the periodic redistribution of sensitised cells between the circulation and lymphoid tissues 225
GREENWOOD, N., and ORR, W. MCN., primary squamous-cell carcinoma arising in a solitary non-parasitic cyst of the liver 145

HARRIS, P., EDWARDS, C., and HEATH, D., ultrastructure of the carotid body in high-altitude guinea-pigs . . . 131

PAGE

HEATH, D., EDWARDS, C., and HARRIS, P., ultrastructure of the carotid body in high-altitude guinea-pigs . . . 131
HEATH, D., KHALIQ, S. U., and KAY, J. M., porta-pulmonary venous anastomoses in experimental cirrhosis of the liver in rats 167
HEPPLESTON, A. G., and YOUNG, A. E., alveolar lipo-proteinosis: an ultrastructural comparison of the experimental and human forms . . . 107
HOLT, P. F., and BOTHAM, SUSAN K., asbestos-body formation in the lungs of rats and guinea-pigs after inhalation of anthophyllite 245
HOPKINSON, J. M., congenital absence of the trachea 63

JAGO, MARJORIE V., PETERSON, J. E., and SAMUEL, ADELE, pathological effects of dehydroheliotridine, a metabolite of heliotridine-based pyrrolizidine alkaloids, in the young rat 175
JONES, R. S., GOPINATH, C., and FORD, E. J. H., the effects of chloroform or halothane on horse liver in the early stage of ragwort poisoning . . 253

KAY, J. M., KHALIQ, S. U., and HEATH, D., porta-pulmonary venous anastomoses in experimental cirrhosis of the liver in rats 167
KENDALL, M. J., CLARKE, S. W., and SMITH, W. T., spinal abscess due to *Listeria monocytogenes* in a patient with hepatic cirrhosis 9
KERR, J. F. R., shrinkage necrosis of adrenal cortical cells 217
KERR, J. F. R., GAFFNEY, T. J., MCGEARY, HEATHER M., DUHIG, R. E. T., and NICOLAIDES, N. J., malakoplakia: an electron-microscope and chemical study 289
KERR, J. F. R., and SEARLE, J., a suggested explanation for the paradoxically slow growth rate of basal-cell carcinomas that contain numerous mitotic figures 41
KHALIQ, S. U., KAY, J. M., and HEATH, D., porta-pulmonary venous anastomoses in experimental cirrhosis of the liver in rats 167

LEEDHAM, P. W., and SWASH, M., chondrosarcoma with subarachnoid dissemination 59

MCGEARY, HEATHER M., KERR, J. F. R., GAFFNEY, T. J., DUHIG, R. E. T., and NICOLAIDES, N. J., malakoplakia: an electron-microscope and chemical study 289
MEACHIM, G., articular cartilage lesions in osteo-arthritis of the femoral head . 199
MITCHINSON, M. J., the inhalation of leguminous particles 221

NEELY, J., and DAVIES, J. D., the histopathology of peritoneal starch granulomas 265
NESTER, B., WELLER, R. O., and COOKE, S. A. R., calcification in the human renal papilla: an electron-microscope study 211
NEVILLE, A. M., and SYMINGTON, T., bilateral adrenocortical hyperplasia in children with Cushing's syndrome . 95
NICHOLSON, G. D., WOODS, C. G., and BISHOP, M. C., bone histological changes occurring after haemodialysis treatment for chronic renal failure . 137
NICOLAIDES, N. J., KERR, J. F. R., GAFFNEY, T. J., MCGEARY, HEATHER M., and DUHIG, R. E. T., malakoplakia: an electron-microscope and chemical study 289

ORR, W. MCN., and GREENWOOD, N., primary squamous-cell carcinoma arising in a solitary non-parasitic cyst of the liver 145

PAPADIMITRIOU, J. M., and ROTHWELL, T. L. W., the cellular infiltrate in skin allografts in mice 235
PENMAN, H. G., and THOMSON, K. J., amyloidosis and renal adenocarcinoma: a post-mortem study . . 45
PETERSON, J. E., SAMUEL, ADELE, and JAGO, MARJORIE V., pathological effects of dehydroheliotridine, a metabolite of heliotridine-based pyrrolizidine alkaloids, in the young rat 175
PRATHAP, K., surface lining cells of healing thrombi in rat femoral veins: an electron-microscope study . . 1
PRATHAP, K., and SOMASUNDARAM, K., the effect of exclusion of amniotic fluid on intra-uterine healing of skin wounds in rabbit foetuses 127
PURCHASE, I. F. H., VAN DER WATT, J. J., and TUSTIN, R. C., the chronic toxicity of retrorsine, a pyrrolizidine alkaloid, in vervet monkeys 279

RÁLIŠ, Z., and EMERY, J. L., congenital plexiform neurofibroma of the vagus with cardiac, pulmonary and visceral involvement 55
ROBERTS, P. F., and BURNS, J., a histochemical study of mucins in normal and neoplastic human pancreatic tissue . . 87
ROTHWELL, T. L. W., and PAPADIMITRIOU, J. M., the cellular infiltrate in skin allografts in mice 235

PAGE

SALM, R., and SISSONS, H. A., giant-cell tumours of soft tissues . . . 27

SAMUEL, ADELE, PETERSON, J. E., and JAGO, MARJORIE V., pathological effects of dehydroheliotridine, a metabolite of heliotridine-based pyrrolizidine alkaloids, in the young rat . . . 175

SEARLE, J., and KERR, J. F. R., a suggested explanation for the paradoxically slow growth rate of basal-cell carcinomas that contain numerous mitotic figures 41

SILLER, W. G., DEWAR, W. A., and WHITEHEAD, C. C., cystic dilatation of the seminiferous tubules in the fowl: a sequel of sodium intoxication . . 191

SISSONS, H. A., and SALM, R., giant-cell tumours of soft tissues . . . 27

SMITH, W. T., KENDALL, M. J., and CLARKE, S. W., spinal abscess due to *Listeria monocytogenes* in a patient with hepatic cirrhosis 9

SOMASUNDARAM, K., and PRATHAP, K., the effect of exclusion of amniotic fluid on intra-uterine healing of skin wounds in rabbit foetuses 127

SWASH, M., and LEEDHAM, P. W., chondrosarcoma with subarachnoid dissemination 59

SYMINGTON, T., and NEVILLE, A. M., bilateral adrenocortical hyperplasia in children with Cushing's syndrome . 95

THOMSON, K. J., and PENMAN, H. G., amyloidosis and renal adenocarcinoma: a post-mortem study . . . 45

TIRU-CHELVAM, R., demonstration of sites of snake-venom localisation by immunofluorescence techniques . . 303

TUSTIN, R. C., VAN DER WATT, J. J., and PURCHASE, I. F. H., the chronic toxicity of retrorsine, a pyrrolizidine alkaloid, in vervet monkeys 279

UNDERWOOD, J. C. E., and CARR, I., the ultrastructure and permeability characteristics of the blood vessels of a transplantable rat sarcoma . . . 157

PAGE

VAN DER WATT, J. J., PURCHASE, I. F. H., and TUSTIN, R. C., the chronic toxicity of retrorsine, a pyrrolizidine alkaloid, in vervet monkeys 279

WAGENVOORT, C. A., WAGENVOORT, N., and BECKER, A. E., the effect of obstructed pulmonary venous blood flow on the development of alternative pathways in the lung . . . 21

WAGENVOORT, N., WAGENVOORT, C. A., and BECKER, A. E., the effect of obstructed pulmonary venous blood flow on the development of alternative pathways in the lung . . . 21

WALKER, F., basement-membrane turnover in man 123

WALKER, F., basement-membrane turnover in the rat 119

WARREN, JUDITH, and GOWLAND, G., cell transfer studies on the persistence of homograft sensitivity in the mouse: the periodic redistribution of sensitised cells between the circulation and lymphoid tissues 225

WELLER, R. O., NESTER, B., and COOKE, S. A. R., calcification in the human renal papilla: an electron-microscope study 211

WHITEHEAD, C. C., SILLER, W. G., and DEWAR, W. A., cystic dilatation of the seminiferous tubules in the fowl: a sequel of sodium intoxication . . 191

WOODS, C. G., BISHOP, M. C., and NICHOLSON, G. D., bone histological changes occurring after haemodialysis treatment for chronic renal failure . . 137

YOUNG, A. E., and HEPPLESTON, A. G., alveolar lipo-proteinosis: an ultrastructural comparison of the experimental and human forms . . . 107

ZAYID, I., and AZZOPARDI, J. G., elastic tissue in tumours of salivary glands . 149